

## Use of Curcumin in Psoriasis

Veronica Di Nardo<sup>1</sup>, Serena Gianfaldoni<sup>2\*</sup>, Georgi Tchernev<sup>3</sup>, Uwe Wollina<sup>4</sup>, Victoria Barygina<sup>5</sup>, Jacopo Lotti<sup>1</sup>, Farah Daaboul<sup>6</sup>, Torello Lotti<sup>2</sup>

<sup>1</sup>Department of Nuclear, Subnuclear and Radiation Physics, University of Rome "G. Marconi", Rome, Italy; <sup>2</sup>University G. Marconi of Rome, Dermatology and Venereology, Rome, Italy; <sup>3</sup>Medical Institute of Ministry of Interior Department of General, Vascular and Abdominal Surgery, Sofia, Bulgaria; <sup>4</sup>Städtisches Klinikum Dresden, Department of Dermatology and Venereology, Dresden, Sachsen, Germany; <sup>5</sup>Department of Biomedical Experimental and Clinical Sciences, University of Florence, Florence, Italy; <sup>6</sup>Institute of Dermatological and Regenerative Sciences, Florence, Italy

### Abstract

**Citation:** Di Nardo V, Gianfaldoni S, Tchernev G, Wollina U, Barygina V, Lotti J. Use of Curcumin in Psoriasis. Open Access Maced J Med Sci. <https://doi.org/10.3889/oamjms.2018.055>

**Keywords:** Psoriasis; Curcumin; Anti-inflammatory; Anti-oxidant; Efficacy; Safe profile

**\*Correspondence:** Serena Gianfaldoni, University G. Marconi of Rome - Dermatology and Venereology, University G. Marconi of Rome, Rome, Italy. E-mail: [serena.gianfaldoni@gmail.com](mailto:serena.gianfaldoni@gmail.com)

**Received:** 02-Nov-2017; **Revised:** 21-Nov-2017; **Accepted:** 29-Nov-2017; **Online first:** 21-Jan-2018

**Copyright:** © 2018 Veronica Di Nardo, Serena Gianfaldoni, Georgi Tchernev, Uwe Wollina, Victoria Barygina, Jacopo Lotti, Farah Daaboul, Torello Lotti. This is an open-access article distributed under the terms of the Creative Commons Attribution-NonCommercial 4.0 International License (CC BY-NC 4.0)

**Funding:** This research did not receive any financial support

**Competing Interests:** The authors have declared that no competing interests exist

Curcumin is a polyphenol derived from the golden spice turmeric, which is widely used for different purposes, such as culinary spice and alimentary additive, make - up and, finally, as a natural product for the treatment of different diseases, especially for the chronic inflammatory ones. Recently, curcumin has been proposed as a valid and safe therapeutic option for psoriasis.

## Introduction

The traditional medicine, based on the administration of natural and herbal products for the treatment of several human diseases, has been employed by many different cultures throughout history, becoming today a real multi billion industry, with a recorded cost of USD 10 billion/year [1].

Among the numerous herbal compounds available for the medical purpose, there is Curcumin, a polyphenol derived from the golden spice turmeric ("Curcuma longa"), of the Zingiberaceae family, characterised by many properties [2].

Since ancient time, Curcumin has been widely used for different purposes, such as culinary spice and alimentary additive (e.g. ice cream, yogurt, orange juice, biscuits, popcorn, cakes, cereals,

sausages, gelatins), make - up and, finally, as natural product for the treatment of different diseases, especially for the chronic inflammatory ones [3].

Although, its well - known effectiveness as a therapeutic herb, curcumin pharmacological properties have been scientifically proved only in the last century [4][5]. Today, it is clear how the wide range of use of curcumin in medicine is the result of its numerous properties, such as antioxidant, anti-inflammatory, anti - proliferative, anti-carcinogenic and anti-microbial ones [6][7].

In medicine, curcumin is used for the treatment of different diseases [3], like rheumatoid arthritis, eye diseases (e.g. chronic anterior uveitis, conjunctivitis), urinary tract infections, menstrual alterations, liver and gastrointestinal disorders (e.g. abdominal pain, inflammatory bowel disease) [3][8][9][10]. Furthermore, curcumin is used as adjuvant therapy for the treatment of skin cancers, chicken pox and wound healing [5][6].

Even if it may be assumed with diet, curcumin is now formulated into tablets, at a different dosage, often associated to particular adjuvants (e.g. piperine, phospholipids), which lead to improving its absorption and bioavailability [11].

## Curcumin and psoriasis

Psoriasis is a chronic, inflammatory, cell-mediated disease, which involves the skin, and sometimes joints, bones, tendons, ligaments, nails, and mucosal membranes. Although it may represent with different clinical variants, the most commonly described is the “vulgaris” one, which is characterised by erythematous round or oval lesions, covered by white-silvery scales. Cutaneous lesions are usually localised on the elbows, knees, scalp and lumbar-sacral region in a symmetric pattern, even if they can affect different body areas [12].

Despite the availability of different topical and systemic therapeutic options for the treatment of psoriasis [13][14][15][16][17], none of them provides excellent clinical results without the risk of side effects (Table 1).

**Table 1: Common antipsoriatic therapies**

Drugs	MoA
<b>TOPICAL</b>	
Corticosteroids	Immunosuppressive; anti-inflammatory; anti-proliferative; vasoconstriction
Soothing: urea, allantoin, lanolin	Anti-inflammatory
Keratolytics: salicylic acid 3 - 6%, Alpha - Hydroxy acids (lactic acid, propylene glycol), emollients, bath	↓ cell - to - cell cohesion in the stratum corneum → Help to remove accumulated scales or hyperkeratosis
Anthralin (Dithranol, 1, 8 - Dihydroxy - 9 - anthrone)	Anti - proliferative effect; anti-inflammatory effect
Tars (coal tars and wood tars )	Keratoplastic; anti-acanthotic; photosensitizing (absorption spectrum of 330-550 nm); vasoconstrictive
Retinoids: tarazotene	Normalize the abnormal differentiation of keratinocytes; antiproliferative effects on keratinocytes; ↓ expression of inflammatory markers on keratinocytes (e.g. HLA - DR, ICAM - I)
Derivatives and analogues of vitamin D3: calcipotriol, tacalcitol, calcitriol	Regulation of epidermal hyperproliferation; enhancement of normal keratinisation; immunomodulating; anti-inflammatory; angiogenesis inhibition
Calcineurin inhibitors: Tacrolimus, Fimectrolimus	Immunosuppression
<b>PHOTOTHERAPY</b>	
PVA therapy	Cell cycle arrest; immunosuppression
UVB, nbUVB, excimer laser	Cell cycle arrest; immunosuppression
<b>SYSTEMIC</b>	
Methotrexate	Antiproliferative; anti-inflammatory
Acitretin	Normalize the abnormal differentiation of keratinocytes; antiproliferative effects on keratinocytes
Cyclosporin A	Inhibition of CD4 T cells
Fumaric acid esters	Immunomodulation
Hydroxyurea	Regulation of proliferating cells
Sulfasalazine	Antiinflammatory
Mycophenolate mofetil	Immunomodulator
6 - Thioguanine	Cell cycle arrest
<b>BIOLOGICS</b>	
Etanercept, Infliximab, Adalimumab	Anti TNF $\alpha$

In the last years, an increasing number of studies underline the potential use of curcumin in the treatment of psoriasis. Many are the evidence which supports its therapeutic efficacy. The first one is that curcumin, with its antioxidative property, may reduce the oxidative stress of psoriatic lesions [18]. More recently, two different studies showed how curcumin therapeutic efficacy might also be related to its ability in inhibiting the phosphorylase kinases, which are increased in psoriatic patients [19][20]. Also

interesting are the results, achieved by Varma et Al., about the use of curcumin at 25 and 50  $\mu$ M concentrations in the treatment of psoriatic - like cells (HaCaT cells), in vitro. The authors showed how curcumin was able to inhibit the proliferation of psoriatic - like cells, by the down-regulation of pro-inflammatory cytokines, such as interleukin - 17, tumour necrosis factor -  $\alpha$ , interferon -  $\gamma$  and interleukin - 6. Moreover, curcumin significantly enhanced the skin - barrier function by the up-regulation of involucrin (iNV) and filaggrin (FLG) [21].

Recently, Kang D. et Al. have proved, on mice models, another important effect of curcumin, consisting in the inhibition of the potassium channels (subtypes Kv1.3) expressed on T cells, which seem to be involved in the onset of psoriasis. The anti-inflammatory properties of curcumin, have been confirmed by the finding that mice, showed in their serum a decrease of more than 50% level of inflammatory factors, including TNF -  $\alpha$ , IFN -  $\gamma$ , IL - 2, IL - 12, IL - 22 and IL - 23 [22].

No study in vivo have shown side effects of curcumin in the treatment of psoriatic patients [23][24], and the U.S. Food and Drug Administration (FDA) has defined curcumin as “generally regarded as safe” (GRAS).

In conclusion, curcumin is a polyphenol derived from the golden spice turmeric (“Curcuma longa”). Because of its numerous properties (e.g. anti - oxidant, anti -proliferative, anti-inflammatory, antiviral, antibacterial and antifungal properties), curcumin has been used for the treatment of different diseases [25]. Recently it has been proposed for the treatment of psoriasis, where its efficacy seems to be the result of different mechanism of actions. Even if different studies, both in vitro and in vivo, have shown its efficacy and safe profile, further placebo-controlled studies are needed before recommending oral curcumin as a valid treatment for psoriasis.

## References

- Garodia P, Ichikawa H, Malani N, et Al. From ancient medicine to modern medicine: Ayurvedic concepts of health and their role in inflammation and cancer. *J Soc Integr Oncol*. 2007; 5: 25–37. <https://doi.org/10.2310/7200.2006.029> PMID:17309811
- Ammon HP, Wahl MA. Pharmacology of Curcuma longa. *Planta Medica*. 1991; 57(1):1–7. <https://doi.org/10.1055/s-2006-960004> PMID:2062949
- Gupta SC, Patchva S, Koh W, et Al. Discovery of curcumin, a component of golden spice, and its miraculous biological activities. *Clin Exp Pharmacol Physiol*. 2012; 39 (3): 283–99. <https://doi.org/10.1111/j.1440-1681.2011.05648.x> PMID:22118895 PMID:PMC3288651
- Oppenheimer A. Turmeric (curcumin) in biliary diseases. *Lancet*. 1937; 229: 619–21. [https://doi.org/10.1016/S0140-6736\(00\)98193-5](https://doi.org/10.1016/S0140-6736(00)98193-5)
- Maheshwari RK, Singh AK, Gaddipati J, et al. Multiple biological activities of curcumin: a short review. *Life Sci*. 2006; 78: 2081–

2087. <https://doi.org/10.1016/j.lfs.2005.12.007> PMID:16413584
6. Kim EJ, Lewis DJ, Dabaja BS et Al. Curcumin for the treatment of tumor - stage mycosis fungoides. *Dermatol Ther.* 2017; 30(4). <https://doi.org/10.1111/dth.12511>
7. Mills S, Bone K. Principles and Practice of Phytotherapy. Toronto, ON: Churchill Livingstone, 2000.
8. Dixit VP, Jain P, Joshi SC. Hypolipidaemic effects of Curcuma longa L. and Nardostachys jatamansi, DC in triton-induced hyperlipidaemic rats. *Indian J Physiol Pharmacol.* 1988; 32: 299–304. PMID:3215683
9. Bundy R, Walker AF, Middleton RW, et al. Turmeric extract may improve irritable bowel syndrome symptomology in otherwise healthy adults: A pilot study. *J Altern Complement Med.* 2004; 10: 1015–8. <https://doi.org/10.1089/acm.2004.10.1015> PMID:15673996
10. Hanai H, Sugimoto K. Curcumin has bright prospects for the treatment of inflammatory bowel disease. *Curr Pharm Des.* 2009; 15: 2087–94. <https://doi.org/10.2174/138161209788489177> PMID:19519446
11. Anand P, Kunnumakkara AB, Newman RA, et al. Bioavailability of curcumin: problems and promises. *Mol Pharm.* 2007; 4: 807–18. <https://doi.org/10.1021/mp700113r> PMID:17999464
12. Lotti T, Hercogova J, Prignano F. The concept of psoriatic disease: can cutaneous psoriasis any longer be separated by the systemic comorbidities? *Dermatol Ther.* 2010; 23(2): 119-22. <https://doi.org/10.1111/j.1529-8019.2010.01305.x> PMID:20415818
13. Goren A, Salafia A, McCoy J et al. Novel topical cream delivers safe and effective alternative to traditional psoriasis phototherapy. *Dermatol Ther.* 2014; 27(5):260-3. <https://doi.org/10.1111/dth.12132> PMID:24773915
14. Lotti T, Hercogova J. Successful treatment of psoriasis with low-dose per os interleukins 4, 10, and 11. *Dermatol Ther.* 2015; 28(1):1-2. <https://doi.org/10.1111/dth.12174> PMID:25286191
15. Lotti T. Something new under the sun in the field of psoriasis? *Dermatol Ther.* 2010; 23(2):99-100. <https://doi.org/10.1111/j.1529-8019.2010.01302.x> PMID:20415815
16. Farahnik B, Nakamura M, Singh RK et Al. The Patient's Guide to Psoriasis Treatment. Part 2: PUVA Phototherapy. *Dermatol Ther (Heidelb).* 2016; 6(3):315-24. <https://doi.org/10.1007/s13555-016-0130-9> PMID:27474030 PMID:PMC4972736
17. Fioranelli M, Rocchia MG, Lotti T. Risankizumab versus ustekinumab for moderate-to-severe plaque psoriasis. *Dermatol Ther.* 2017; 30(5). <https://doi.org/10.1111/dth.12507>
18. Barygina V., Becatti M, Soldi G, et Al. Altered redox status in the blood of psoriatic patients: involvement of NADPH oxidase and role of anti-TNF- $\alpha$  therapy. *Redox Rep.* 2013; 18(3):100-6. <https://doi.org/10.1179/1351000213Y.0000000045> PMID:23601139
19. Reddy S, Aggarwal BB. Curcumin is a non - ompetitive and selective inhibitor of phosphorylase kinase. *FEBS Lett.* 1994; 341(1):19–22. [https://doi.org/10.1016/0014-5793\(94\)80232-7](https://doi.org/10.1016/0014-5793(94)80232-7)
20. Heng MC, Song MK, Harker J, et al. Drug-induced suppression of phosphorylase kinase activity correlates with resolution of psoriasis as assessed by clinical, histological and immunohistochemical parameters. *Br J Dermatol.* 2000; 143 (5): 937–49. <https://doi.org/10.1046/j.1365-2133.2000.03767.x> PMID:11069500
21. Varma SR, Sivaprakasam TO, Mishra A, et Al. Imiquimod-induced psoriasis-like inflammation in differentiated Human keratinocytes: Its evaluation using curcumin. *Eyr J Pharmacol.* 2017; 813: 33-41. <https://doi.org/10.1016/j.ejphar.2017.07.040> PMID:28736282
22. Kang D, Luo L, Jiang W, et Al. Curcumin shows excellent therapeutic effect on psoriasis in mouse model. *Biochimie.* 2016; 123: 73-80. <https://doi.org/10.1016/j.biochi.2016.01.013> PMID:26826458
23. Kurd SK, Smith N, VanVoorhees A, Troxel AB, Badmaev V, Seykora JT, et al. Oral curcumin in the treatment of moderate to severe psoriasis vulgaris: a prospective clinical trial. *J A Acad Dermatol.* 2008; 58(4):625–31. <https://doi.org/10.1016/j.jaad.2007.12.035> PMID:18249471 PMID:PMC4131208
24. Blumenthal M, Goldberg A, Brinckmann J. Herbal Medicine: Expanded Commission E Monographs. Newton, MA: Integr Med Comm, 2000: 379–84.
25. Aggarwal BB, Harikumar KB. Potential therapeutic effects of curcumin, the anti-inflammatory agent, against neurodegenerative, cardiovascular, ulmonary, metabolic, autoimmune and neoplastic diseases. *Int J Biochem Cell Biol.* 2009; 41(1):40–59. <https://doi.org/10.1016/j.biocel.2008.06.010> PMID:18662800 PMID:PMC2637808