

Influence of Er, Cr: YSGG (2780 nm) and Nanosecond Nd: YAG Laser (1064 nm) Irradiation on Enamel Acid Resistance: Morphological and Elemental Analysis

Maryam M. El Mansy^{1*}, Mostafa Gheith², Abo El Yazeed M³, Dina B. E. Farag⁴

¹Orthodontic and Pedodontic Department, National Research Centre, Cairo, Egypt; ²National Institute of Laser Enhanced Sciences, Cairo University, Cairo, Egypt; ³Pediatric Dentistry, National Research Centre, Cairo, Egypt; ⁴Oral Biology Department, Faculty of Dentistry, Cairo University, Cairo, Egypt

Abstract

Citation: El Mansy MM, Gheith M, El Yazeed AM, Farag DBE. Influence of Er, Cr: YSGG (2780 nm) and Nanosecond Nd: YAG Laser (1064 nm) Irradiation on Enamel Acid Resistance: Morphological and Elemental Analysis. Open Access Maced J Med Sci. <https://doi.org/10.3889/oamjms.2019.359>

Keywords: Enamel demineralisation; Er, Cr: YSGG laser; Nanosecond Nd: YAG laser; Enamel acid resistance

***Correspondence:** Maryam M. El Mansy. Orthodontic and Pedodontic Department, National Research Centre, Cairo, Egypt. E-mail: dirmaryamelmansy@hotmail.com

Received: 17-Mar-2019; **Revised:** 15-May-2019; **Accepted:** 16-May-2019; **Online first:** 30-May-2019

Copyright: © 2019 Maryam M. El Mansy, Mostafa Gheith, Abo El Yazeed M, Dina B. E. Farag. This is an open-access article distributed under the terms of the Creative Commons Attribution-NonCommercial 4.0 International License (CC BY-NC 4.0)

Funding: This research did not receive any financial support

Competing Interests: The authors have declared that no competing interests exist

BACKGROUND: Enamel demineralisation is an initial step of the serious dental problem including dental caries, white spot lesions and dental erosion.

AIM: Compare the effect of Er, Cr: YSGG ($\lambda = 2780$ nm) and nanosecond Nd: YAG ($\lambda = 1064$ nm) laser on enamel acid resistance.

MATERIAL AND METHODS: Thirty non-carious human premolars, extracted for orthodontic reasons, were used. The experimental groups ($n = 10$ each group) were: Group I, untreated (control); Group II, Er,Cr:YSGG laser irradiation (0.75 W, 20 Hz, 140 μ s, 10 s); Group III, nanosecond pulsed Nd:YAG laser irradiation (0.8 W, 10 Hz, 7 ns, 10 s). Scanning electron microscope and Energy Dispersive X-ray Spectroscopy (EDX) were used to assess acquired enamel resistance to PH cycling.

RESULTS: After subjecting the three experimental groups to PH cycling, scanning electron microscopic examination revealed irregular porous dissolved enamel surface in group I. However, groups II and III demonstrated partially dissolved enamel surface. EDX analysis demonstrated the lowest mean percentage decrease in calcium and phosphorus content in group II followed by group III, then the highest mean percentage decrease was observed in untreated group I. One-way ANOVA revealed significant differences ($p < 0.0001$) between the tested groups.

CONCLUSIONS: Both Er, Cr: YSSG and nanosecond Nd: YAG laser irradiation were able to improve the acid resistance of enamel. However, enamel surface treated with Er, Cr: YSSG laser showed the lowest mean percentage decrease of calcium and phosphorus (highest acid resistance).

Introduction

Dental caries is a biofilm-mediated, sugar driven multifactorial, preventable, dynamic disease that occurs as a result of two interacting processes; demineralisation and remineralisation of dental hard tissues [1]. Enamel demineralisation is not only the initial step dental caries and white spot lesions, but also it is the first stage of another serious dental problem, which is dental erosion [2].

Several approaches have been made to increase enamel resistance to caries; among them, laser irradiation seems to be very promising [3] due to its strong interaction with dental hard tissues [4].

Lasers that have a higher absorption by dental enamel, such as CO₂ (9.6 μ m and 10.6 μ m) [5]. Er: YAG (2.94 μ m) [6] and Er, Cr: YSGG (2.79 μ m) [3] were demonstrated to promote acid resistance of enamel. The low absorbed lasers such as Nd: YAG (1.064 μ m) [7] and Argon [8] have also been employed with success.

Er, Cr: YSGG laser emitted at 2780 wavelength is well absorbed by water and hydroxyl radical in the hydroxyapatite. Thus, this type of laser has the potentiality to improve enamel acid resistance and prevent mineral loss by inducing chemical and morphological changes in enamel without an excessive increase of heat [9], [10].

Although the role of longer pulsed Nd: YAG

laser on the acid resistance of enamel have been well established, the application of nanosecond pulsed Nd: YAG laser on dental enamel surface still needs to be improved [11]. The Q-switched Nd: YAG laser system with nanosecond pulses offers a significant advantage over long pulsed Nd: YAG laser as regard to pulpal heating. Previous studies showed that the temperature rise associated with nanosecond Nd: YAG irradiation is inferior to 2.5°C, which justifies its use without pulpal damage [12], [13]. It was reported that nanosecond pulsed Nd: YAG laser can be used to obtain minimal morphological alteration associated with a chemical reorganisation enhancing the microhardness values and consequently inhibiting the enamel acid dissolution [11].

Since the effect of laser irradiation on acid resistance of enamel has been observed, the studies on comparisons of acid resistance of enamel when irradiated with Er, Cr: YSGG and nanosecond pulsed Nd: YAG lasers are scarce.

The present work aims to evaluate and compare the influence of Er, Cr: YSGG and nanosecond Nd: YAG laser irradiation on acquired enamel acid resistance through scanning electron microscope examination and elemental analysis.

Material and Methods

This experimental *in vitro* study was held in the labs of the National Research Centre and dental laser Centre Ain Shams University, after the approval of the local ethical committee of the National Research Centre. Thirty non-carious human premolars, extracted for orthodontic reasons, were selected randomly from unknown persons.

Specimen Preparation: Each enamel surface was rinsed with deionised water and examined under a stereomicroscope (Leica Microsystem S, Switzerland). Teeth with any defects, erosions, micro-cracks or visible stains were excluded from the study. A window (4×4 mm) was measured by calibre and marked with two layers of an acid-resistant varnish. The window was located in the middle of the middle third of the buccal enamel surface [14]. All the teeth were stored in deionised water for not more than 1 week.

Experimental design: The specimens were randomly assigned to three groups of (10 specimens each) as follows: Group 1: No treatment (control), Group 2: Treated with Er, Cr: YSSG laser and Group 3: Treated with nanosecond pulsed Nd: YAG laser.

The specimens from all groups were then subjected to PH cycling (demineralisation).

Experimental procedures

a) Er,CR:YSGG laser irradiation conditions: A pulsed Er,CR:YSGG laser (Waterlase, Biolase, USA) at 2780 nm wavelength was used with the following parameters: 0.75 W, power, 12.5 mJ, pulse energy, 20 Hz, repetition rate, 140 µs, pulse width and 10 s average exposure time. The air pressure and water level were set at 11 % and 0 % respectively. Laser tip type used in the study was MZ6 Zirconia (Biolase, MD, USA) with a length of 4 mm and diameter 600 µm. The tip was positioned perpendicular 1 mm from the enamel surface, and the samples were irradiated by scanning once in each direction, horizontal and vertical, to promote homogeneous irradiation and to cover the entire sample area. An endodontic file was fixed at the handpiece and kept a distance of 1 mm from the surface during all the procedures.

b) Nd: YAG laser irradiation conditions: A pulsed nanosecond Nd-YAG laser (Continuum laser, Powerlite, DLS 9000, USA) at 1064 nm wavelength was used with the following parameters: 0.8 w power, 10 Hz Repetition rate, 7 ns pulse width and 10 seconds average exposure time.

c) PH cycling model: For the acid challenge, samples were submitted to a pH cycling procedure, according to previously described protocols [15], [16]. The demineralisation solution (pH 4.3) consisted of 2.0 mmol/L of Ca, 2.0 mmol/L of phosphate in a buffer solution of acetate 0.075 mol/L. Remineralization solution (pH 7.0) consisted of 1.5 mmol/L of Ca, 0.9 mmol/L of phosphate, 150 mmol/L of potassium chloride. PH was measured by a pH meter to verify the required pH accurately.

Each specimen was individually immersed in 5.0 ml of demineralising solution for 6 hours and was then washed with deionised water. This was followed by immersing the samples again in 5 ml of remineralising solution for 18 hours, which was then washed off with deionised water. This procedure was carried out for 14 days. At the end of each 5 consecutive days of cycling, the samples were kept in the remineralising solution for 2 days.

Scanning electron microscope analysis

Scanning electron microscope analysis was performed to analyse the surface morphology of the specimens at the baseline, and after pH cycling. The specimens were air-dried then examined under SEM (Quanta FEG 250/ EDS, Octane Pro, USA) at x 1000 and x5000 magnification.

Energy Dispersive X-ray Spectroscopy (EDX) analysis

Elemental analysis of enamel surface in all groups was performed at baseline of untreated sound enamel then after exposure to pH cycling. The EDX

analysis system works as an integrated part of SEM Quanta FEG 250, attached with EDX unit. The quantitative amount of elements in the studied surfaces was determined by an X-ray microanalyser EDX using spot measurements, EDX line scans and element mapping. Weight percentage values of Calcium and Phosphorus elements were expressed as mean values.

Statistical analysis

The data obtained from the elemental analysis were subjected to statistical analysis using the SPSS software. The Shapiro-Wilk test was carried to assess the normal distribution of data. The results were analysed by ANOVA. Multiple comparisons between groups were performed by paired t-test and post-hoc Tukey test. For the entire evaluation, $p < 0.05$ considered to be statistically significant.

Results

SEM analysis

SEM observation showed a smooth homogenous surface at the baseline for all the experimental groups (Figure 1).




Figure 1: Scanning electron microscopic photomicrograph of sound enamel surface showing: (A) smooth homogenous surface of rodless enamel (asterisks); (B) the surface contained multiple scratches (red arrows); (A) SEM x 1000; (B) SEM x 5000

After exposure to pH cycling, a group I, showed irregular porous dissolved enamel surface (Figure 2).




Figure 2: Scanning electron microscopic photomicrograph of group I (untreated) showing: (A) irregular dissolution porous enamel surface, (B) hollowing of rod core (red arrows), raised peripheral region (yellow arrows), indistinct rod morphological appearance (asterisks); (A) SEM x 1000, (B) SEM x 5000

In contrast, a partially dissolved enamel surface was observed in both group II (Figure 3) and group III (Figure 4).




Figure 3: Scanning electron microscopic photomicrograph of group II (enamel treated with Er,Cr:YSGG laser) showing: (A) partially porous enamel structure intermixed with areas of rodless enamel, (B) intact rod core (red arrow), loss of rod peripheries (yellow arrow), loss of rod core (white arrow), smooth rodless enamel (asterisk). (A; SEM x 1000, B; SEM x 5000)

Energy Dispersive X-ray Spectroscopy (EDX) analysis

Comparison between the Ca and P weight percentage (mean±standard deviation) values at baseline and after demineralisation cycle within each group using paired t-test was displayed in (Table 1 and 2). In all group's values of Ca and P weight percentage were significantly lower after exposure to demineralisation cycle ($p < 0.0001$).




Figure 4: Scanning electron microscopic photomicrograph of group III (enamel treated with Nd:YAG laser) showing: (A) partially dissolved enamel surface, (B): eroded rod peripheries (yellow arrows), intact rod core (red arrow), fine cracks (white arrows), smooth enamel surface with no enamel rod exposure (asterisk). (A; SEM x 1000, B; SEM x 5000)

The mean difference of change in Ca and P weight percentage at baseline and after demineralisation within each group was calculated. Mean percentage decrease in Ca and P within each group was obtained. One-way ANOVA revealed significant differences ($p < 0.0001$) between the tested groups. The lowest mean percentage decrease values were recorded in group II, followed by group III, then the highest mean percentage decrease was observed in the control group (group I) (Table 1 and 2). Multiple pairwise comparisons were then made between the three groups. For Ca, group II demonstrated a significant percentage decrease as compared to group I and III. Also, group III showed a significant decrease as compared to group I (Table 1). Regarding P, the mean percentage decrease in group II differed significantly from the group I but not with

group III. However, a significant decrease was recorded in group III as compared to the control group (Table 2).

Table 1: Descriptive analysis for weight percentage of calcium

Groups		Mean \pm SD	Within-group comparison	Mean difference \pm SD	Mean percentage decrease \pm SD	ANOVA
			Paired t-test p-value			p-value
Group I (Untreated)	Baseline	56.26 \pm 2.23	< 0.0001*	41.21 \pm 2.84 ^a	73.19 \pm 3.11	< 0.0001*
	DC	15.06 \pm 1.55				
Group II (Er,Cr:YSSG laser)	Baseline	56.25 \pm 1.84	< 0.0001*	13.51 \pm 1.51 ^b	24.00 \pm 2.48	
	DC	42.75 \pm 1.89				
Group III (Nanosecond Nd:YAG laser)	Baseline	55.58 \pm 3.83	< 0.0001*	23.03 \pm 2.95 ^c	41.51 \pm 2.65	
	DC	32.56 \pm 3.18				

*Significance level at p-value \leq 0.05. DC: Demineralization cycle; Post-hoc Tukey's Test means with the different superscript letter are significantly different (p < 0.0001).

Discussion

Overall management of dental caries and erosion involves consideration of methods of preventing demineralisation and also methods of encouraging remineralisation of existing lesions [17]. Researchers often use *in vitro* studies to study the demineralisation-remineralisation process in cariology research. The *in vitro* studies are simple and easy to control to meet the research requirements with more reliable assessment methods that cannot be used for *in vivo* experiments [1]. Based on this information, this study was carried on *in vitro* conditions.

Table 2: Descriptive analysis for weight percentage of phosphorus

Groups		Mean \pm SD	Within-group comparison	Mean difference \pm SD	Mean percentage decrease \pm SD	ANOVA
			Paired t-test p-value			p-value
Group I (Untreated)	Baseline	25.94 \pm 2.15	< 0.0001*	14.84 \pm 2.17 ^a	57.14 \pm 5.62	< 0.0001*
	DC	11.09 \pm 1.59				
Group II (Er,Cr:YSSG laser)	Baseline	25.74 \pm 0.79	< 0.0001*	8.40 \pm 0.87 ^b	32.68 \pm 3.73	
	DC	17.34 \pm 1.33				
Group III (Nanosecond Nd:YAG laser)	Baseline	24.93 \pm 0.91	< 0.0001*	10.15 \pm 1.28 ^b	40.70 \pm 4.74	
	DC	14.78 \pm 1.28				

*Significance level at p-value \leq 0.05. DC: Demineralization cycle; Post-hoc Tukey's Test: means sharing the same superscript letter are not significantly different (p = 0.2442), means with the different superscript letter are significantly different (p < 0.0001).

There are still many conflicts concerning the effect of laser irradiation on the enamel structure. This is most probably due to the high number of variables involved as it is a multifactorial process: power, pulse frequency and duration of irradiation [18]. Thus, the choice of laser parameters for different applications is very important. Regarding irradiation parameters used in the present study, all the irradiation conditions in both Er, Cr: YSSG or nanosecond Nd-YAG lasers aimed to be below the ablation threshold to avoid mechanical damage to the enamel.

Although the use of water can control the temperature increase, the water sprayed directly onto the surface of irradiated tissue can lead to greater enamel demineralisation and more ablation during an acid challenge [19]. Geraldo-Martins et al., [14] concluded that, the presence of water during Er, Cr: YSSG laser irradiation makes it difficult to obtain an

enamel surface more resistant to acids. Therefore, we did not utilise the water spray in the present study.

The Er, Cr: YSSG power used in the present study was (0.75 W). This was based on previous studies which compared this power (0.75 W) with other Er, Cr: YSSG power values or with other types of lasers. Results revealed that 0.75 W power gave the best results regarding acid resistance enhancement [20], [21], [22]. The power of nanosecond Nd: YAG laser used in the herein study was 0.8 W. It was selected according to a previous pilot study done with 3 samples with different powers; 0.5 W, 0.8 W and 1.2 W. The power of 0.8 W revealed the best results concerning the morphological and elemental analyses. On the other hand, the power of 0.5 W did not produce any apparent effect, and 1.2 W produced an ablative effect on the enamel surface.

In the current study, several methods were used to evaluate enamel acquired acid resistance. Structural analysis was performed using a scanning electron microscope. It is used widely for studying the morphological changes of enamel and the effect of different treatment methods on its surface [23], [24]. Therefore, SEM was employed in this investigation. SEM analysis in the present study showed a smooth homogenous surface with a uniform rodless enamel surface layer at the baseline for all the experimental groups. This was by Huang et al., [25] and El Moshy et al., [26] who demonstrated a smooth surface of untreated sound enamel. In Group I (untreated enamel) after pH cycling, SEM revealed irregular porous dissolved enamel surface. Same findings were conducted by Zorba et al., [27] who demonstrated multiple pores in the etched enamel surface.

After subjecting enamel treated with Er, Cr: YSSG laser in group II to pH cycling, partially porous enamel structure intermixed with areas of rodless enamel that covered the underlying structure was observed by SEM. This was in agreement with Hossain et al., [28], Moslemi M et al., [29], and Geraldo-Martins et al., [14] who in their individual studies reported a significant decrease in enamel demineralization after surface treatment with Er, Cr: YSSG laser compared to the control group. This was attributed to the well-known thermal effect of erbium laser and its positive role in enhancing the enamel acid resistance by modification of the chemical and physical structure of enamel [21].

In Group III (enamel treated with nanosecond pulsed Nd: YAG laser), SEM after pH cycling revealed partially dissolved enamel surface intermixed with some relatively smooth areas indicating enhanced resistance to acid dissolution. This result was in agreement with Al Jedani et al., [30] who found that enamel surface treated with nanosecond Nd: YAG showed acquired acid resistance.

In the present study, EDX was used as an elemental analytic method for both Ca and P since the

main components of enamel hydroxyapatite are Ca and P [31]. This method permits fast and quantitative microanalysis estimating the number of minerals in a given tooth sample in a nondestructive manner [32].

The mean difference of change in Ca and P at baseline and after demineralisation within each group was calculated. This was used to obtain Ca and P percentage decrease within each group. Acquired enamel acid resistance was estimated in terms of percentage decrease values in Ca and P, along with all the experimental groups.

Results in the current work showed that the lowest mean percentage decrease in Ca and P was recorded in Er, Cr: YSSG group (II) followed by nanosecond Nd: YAG group (III), then the highest mean percentage decrease was observed in control untreated group (I). This indicates that the highest acquired enamel acid resistance was achieved upon Er, Cr: YSSG laser irradiation. In this study, upon pairwise comparison for mean percentage decrease values, the difference between both group II and III as compared to the control group was statistically significant. This indicates that both types of laser treatments improved the enamel acid resistance significantly. Our findings were in agreement with many previously reported results concerning acquired enamel acid resistance following treatment with Er, Cr: YSSG laser application [14], [21] or nanosecond Nd: YAG laser [11], [30].

Going through pairwise comparison results in the current work, the difference between group II and III was statistically significant regarding Ca percentage decrease. However, no significant difference was recorded with P. This showed that nanosecond Nd: YAG had a similar effect as Er, Cr: YSSG as regard to percentage decrease of P.

From the present study, it could be concluded that under pH, cycling conditions, both Er, Cr: YSSG and nanosecond Nd: YAG laser irradiation improved the acid resistance of enamel. However, enamel surface treated with Er, Cr: YSSG laser showed the lowest mean percentage decrease of calcium and phosphorus (highest acid resistance). Although Er, Cr: YSSG and nanosecond Nd: YAG laser seems to be a promising treatment in preventive dentistry, further researches are needed to verify the role of laser irradiation parameters to take better benefits of laser potential in enhancing enamel acid resistance.

References

- Pitts NB, Zero N, Marsh D, Ekstrand K, Weintraub J, Ramos-Gomez F, Tagami J, Twetman S, Tsakos G, Ismail A. Dental caries. *Nature Reviews Disease Primers*. 2017; 3:17030. <https://doi.org/10.1038/nrdp.2017.30> PMID:28540937
- Yu OY, Zhao IS, Mei L, Lo E, Chu C. A Review of the common models used in mechanistic studies on demineralization-rem mineralization for cariology research. *Dentistry Journal*. 2019; 18:5(2)588-597. <https://doi.org/10.3390/dj5020020> PMID:29563426 PMCid:PMC5806972
- Apel C, Meister J, Schmitt N, Graber HG, Gutknecht N. Calcium solubility of dental enamel following sub-ablative Er:YAG and Er:YSSG laser irradiation in vitro. *Lasers in Surgery and Medicine*. 2002; 30:337-341. <https://doi.org/10.1002/lsm.10058> PMID:12116325
- Fried D, Featherstone JD, Visuri S, Seka W, Walsh J. The caries inhibition potential of Er:YAG and Er:YSSG laser radiation. *Society of Photo-Optical Instrumentation Engineers (SPIE)*. 1996; 2672:73-78. <https://doi.org/10.1117/12.238755>
- Featherstone JD, Barrett-Vespone NA, Fried D, Kantorowitz Z, Seka W. CO2 laser inhibitor of artificial caries-like lesion progression in dental enamel. *Journal of Dental Research*. 1998; 77:1397-1403. <https://doi.org/10.1177/00220345980770060401> PMID:9649168
- Delbem AC and Cury JA. Effect of application time of APF and NaF gels on microhardness and fluoride uptake of in vitro enamel caries. *American Journal of Dentistry*. 2002; 15:169-72.
- Ze Zell DM, Boari HG, Ana PA, Eduardo Cde P, Powell GL. Nd:YAG laser in caries prevention: a clinical trial. *Lasers in Surgery and Medicine*. 2009; 41:31-35. <https://doi.org/10.1002/lsm.20738> PMID:19143016
- Nammour S, Demortier G, Florio P, Delhaye Y, Pireaux JJ, Morciaux Y, Powell L. Increase of enamel fluoride retention by low fluence argon laser in vivo. *Lasers in Surgery and Medicine: The Official Journal of the American Society for Laser Medicine and Surgery*. 2003; 33(4):260-3. <https://doi.org/10.1002/lsm.10219> PMID:14571451
- Jorge AC, Cassoni A, de Freitas PM, Reis AF, Brugnera Junior A, Rodrigues JA. Influence of cavity preparation with Er,Cr:YSSG laser and restorative materials on in situ secondary caries development. *Photomedicine and Laser Surgery*. 2015; 33:98-103. <https://doi.org/10.1089/pho.2014.3815> PMID:25654424 PMCid:PMC4340635
- Scatolin RS, Colucci V, Lepri TP, Alexandria AK, Maia LC, Galo R, Borsatto MC, Corona SA. Er:YAG laser irradiation to control the progression of enamel erosion: an in situ study. *Lasers in Medical Science*. 2015; 30:1465-1473. <https://doi.org/10.1007/s10103-014-1620-6> PMID:24985348
- Antunes A, Salvador V, Scapin M A, de Rossi W, Ze Zell DM. Nanosecond Nd:YAG laser on dental enamel: compositional analysis by X-ray fluorescence. *Laser Physics Letters*. 2005; 2(6):318-323. <https://doi.org/10.1002/lapl.200410181>
- Kimura Y, Wilder-Smith P, Arrastia-Jitosho AM, Liaw LH, Matsumoto K, Berns MW. Effects of nanosecond pulsed Nd: YAG laser irradiation on dentin resistance to artificial caries-like lesions. *Lasers in Surgery and Medicine*. 1997; 20(1):15-21. [https://doi.org/10.1002/\(SICI\)1096-9101\(1997\)20:1<15::AID-LSM3>3.0.CO;2-1](https://doi.org/10.1002/(SICI)1096-9101(1997)20:1<15::AID-LSM3>3.0.CO;2-1)
- Antunes A, de Rossi W, Ze Zell DM. Spectroscopic alterations on enamel and dentin after nanosecond Nd:YAG laser irradiation. *Spectrochimica Acta Part A*. 2006; 64:1142-1146. <https://doi.org/10.1016/j.saa.2005.11.036> PMID:16822709
- Geraldo-Martins VR, Lepri CP, Palma-Dibb RG. Influence of Er,Cr:YSSG laser irradiation on enamel caries prevention. *Lasers in Medical Science*. 2013; 28:33-39. <https://doi.org/10.1007/s10103-012-1056-9> PMID:22350424
- Apel C, Meister J, Götz H, Duschner H, Gutknecht N. Structural changes in human dental enamel after subablative erbium laser irradiation and its potential use for caries prevention. *Caries Research*. 2005; 39(1):65-70. <https://doi.org/10.1159/000081659> PMID:15591737
- Rehder Neto FC1, Maeda FA, Turssi CP and Serra MC. Potential agents to control enamel caries-like lesions. *Journal of Dentistry*. 2009; 37(10):786-90. <https://doi.org/10.1016/j.jdent.2009.06.008> PMID:19595495
- Mabry TR. Prevention of Dental Disease, n 39. *Textbook of*

- Pediatric Dentistry: Infancy Through Adolescence (6th Edition). Nowak A, Christensen J R, Mabry T R, Townsend J A and Wells M H (eds). ELSEVIER, 2019:588-597.
18. Castellán CS, Luiz AC, Bezinelli LM, Lopes RM, Mendes FM, De P Eduardo C, De Freitas PM. In vitro evaluation of enamel demineralization after Er:YAG and Nd:YAG laser irradiation on primary teeth. *Photomedicine and Laser Surgery*. 2007; 25:85-90. <https://doi.org/10.1089/pho.2006.2043> PMID:17508842
19. De Freitas PM, Rapozo-Hilo M, Eduardo Cde P, Featherstone JD. In vitro evaluation of erbium, chromium:yttrium-scandium-gallium-garnet laser-treated enamel demineralization. *Lasers in Medical Science*. 2010; 25:165-170. <https://doi.org/10.1007/s10103-008-0597-4> PMID:18787759
20. De Oliveira RM, de Souza VM, Esteves CM, de Oliveira Lima-Arsati YB, Cassoni A, Rodrigues JA, Brugnera Junior A. Er,Cr:YSGG Laser Energy Delivery: Pulse and Power Effects on Enamel Surface and Erosive Resistance. *Photomedicine and Laser Surgery*. 2017; 35(11):639-646. <https://doi.org/10.1089/pho.2017.4347> PMID:29099682
21. Kaur T, Tripathi T, Rai P, Kanase A. SEM Evaluation of Enamel Surface Changes and Enamel Microhardness around Orthodontic Brackets after Application of CO₂ Laser, Er,Cr:YSGG Laser and Fluoride Varnish: An In vivo Study. *Journal of Clinical and Diagnostic Research*. 2017; 11(9): ZC59-ZC63. <https://doi.org/10.7860/JCDR/2017/30292.10603> PMID:29207835 PMCid:PMC5713857
22. De Freitas PM, Rapozo-Hilo M, Eduardo CP. In vitro evaluation of erbium, chromium:yttrium-scandium-gallium-garnet laser-treated enamel demineralization. *Lasers in Medical Science*. 2010; 25:165. <https://doi.org/10.1007/s10103-008-0597-4> PMID:18787759
23. Fukuyama M, Kawamoto C, Saikaew P, Matsuda Y, Carvalho M, Selimovic D, Sano H. Effect of topical fluoride application on enamel after in-office bleaching, as evaluated using a novel hardness tester and a transverse microradiography method. *European Journal of Oral Sciences*. 2017; 125(6):471-478. <https://doi.org/10.1111/eos.12386> PMID:29110340
24. Belcheva A, El Feghali R, Nihtianova T, Parker S. Effect of the carbon dioxide 10,600-nm laser and topical fluoride gel application on enamel microstructure and microhardness after acid challenge: an in vitro study. *Lasers in Medical Science*. 2018; 33(5):1009-1017. <https://doi.org/10.1007/s10103-018-2446-4> PMID:29354864
25. Huang X, Deng M, Liu M, Cheng L, Exterkate R, Li J, Zhou X, Cate J. Comparison of Composition and Anticaries Effect of Galla Chinensis Extracts with Different Isolation Methods. *The Open Dentistry Journal*. 2017; 11:447-459. <https://doi.org/10.2174/1874210601711010447> PMID:28979574 PMCid:PMC5611702
26. El Moshay S, Abbass MM, El-Motayam AM. Biomimetic remineralization of acid etched enamel using agarose hydrogel model. *F1000 Research*. 2018; 7:1476. <https://doi.org/10.12688/f1000research.16050.1> PMID:30381793 PMCid:PMC6178904
27. Zorba Y O, Arslan S, Atalay A, Özcan S. Effect of resin infiltration on enamel surface properties and Streptococcus mutans adhesion to artificial enamel lesions. *Dental Materials Journal*. 2015; 34(1):25-30. <https://doi.org/10.4012/dmj.2014-078> PMID:25748455
28. Hossain M, Kimura Y, Nakamura Y, Yamada Y, Kinoshita JI, Matsumoto K. A study on acquired acid resistance of enamel and dentin irradiated by Er,Cr:YSGG laser. *Journal of Clinical Laser Medicine and Surgery*. 2001; 19:159-163. <https://doi.org/10.1089/10445470152927991> PMID:11469308
29. Moslemi M, Fekrazad R, Tadayon N, Ghorbani M, Torabzadeh H, Shadkar MM. Effects of Er,Cr:YSGG laser irradiation and fluoride treatment on acid resistance of the enamel. *Pediatric Dentistry*. 2009; 31:409-413.
30. Al-Jedani S, Al-Hadeethi Y, Ansari MS, Razvi M. Dental Hard Tissue Ablation with Laser Irradiation. *Austin Dental Sciences*. 2016; 1(1):1007.
31. He B1, Huang S, Zhang C, Jing J, Hao Y, Xiao L, Zhou X. Mineral densities and elemental content in different layers of healthy human enamel with varying teeth age. *Archives of Oral Biology*. 2011; 56(10):997-1004. <https://doi.org/10.1016/j.archoralbio.2011.02.015> PMID:21411061
32. Ballal NV, Mala K and Bhat KS. Evaluation of decalcifying effect of maleic acid and EDTA on root canal dentin using energy dispersive spectrometer. *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology and Endodontology*. 2011; 112(2):e78-84. <https://doi.org/10.1016/j.tripleo.2011.01.034> PMID:21530335